

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.
2. Authorization for this examiner's amendment was given in an interview with attorney of record James Stevens (Reg. No 35,691) on July 22, 2011.
3. The application has been amended as follows:

a) In the Claims:

Claim 8 line 1, "medium" has been replaced with –non-transitory medium-

Claim 9 line 1, "medium" has been replaced with –non-transitory medium-

Claim 10 line 1, "medium" has been replaced with –non-transitory medium-

Claim 11 line 1, "medium" has been replaced with –non-transitory medium-

Claim 12 line 1, "medium" has been replaced with –non-transitory medium-

Claim 13 line 1, "medium" has been replaced with –non-transitory medium-

Claim 14 line 1, "medium" has been replaced with –non-transitory medium-
4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Faruk Hamza whose telephone number is 571-272-7969. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenton Burgess can be reached at 571-272-3949. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 886-217-9197 (toll –free).

Faruk Hamza

Primary Examiner

Group Art Unit 2442

/Faruk Hamza/
Primary Examiner, Art Unit 2442